

國立交通大學應用數學系

學術演講公告

主講人：Professor Ian H. Sloan (University of New South Wales, Australia)

講題：High-dimensional integration of functions with kinks and jumps

時間：105 年 12 月 13 日 (星期二) 下午 2:00-3:00

地點：(光復校區) 科學一館 223 室

茶會：當天下午 1:30 (科學一館 205 室)

摘要：

In many applications, including option pricing, integrals of d -variate functions with “kinks” or “jumps” are encountered. (Kinks describe simple discontinuities in the derivative, jumps describe simple discontinuities in function values.) The standard analyses of sparse grid or Quasi Monte Carlo methods fail completely in the presence of kinks or jumps, yet the observed performance of these methods can remain reasonable.

In recent joint papers with Michael Griebel and Frances Kuo we sought an explanation by showing that many terms of the ANOVA expansion of a function with kinks can be smooth, because of the smoothing effect of integration. The problem settings have included both the unit cube and d -dimensional Euclidean space. The underlying idea is that integration of a non-smooth function with respect to a well chosen variable, say x_j , can result in a smooth function of $d - 1$ variables.

In still more recent joint work with Andreas Griewank, Hernan Leovey and Frances Kuo we have extended the theoretical results from kinks to jumps, and have turned “preintegration” into a practical method for evaluating integrals of some non-smooth functions over d -dimensional Euclidean space. In this talk I will explain the concept of the ANOVA decomposition, the reason for smoothness in the ANOVA decomposition, and the method of “smoothing by preintegration”.

敬請公告 歡迎參加

應用數學系 啟